

**SUGGESTED DOSAGE SCHEDULE
FOR A RAST (radioallergosorbent test) IMMUNOTHERAPY SET**

RAST (radioallergosorbent test) IMMUNOTHERAPY SET

There are approximately 40 doses in our traditional ABCD set when the following suggested dosage schedule is followed. If the patient reaches maintenance by dose 40, then 0.50 mL can be repeated weekly.

VIAL 1 RAST -2	
<u>Dose #</u>	<u>Vol. (mL)</u>
1	0.05
2	0.10
3	0.15
4	0.20
5	0.25
6	0.30
7	0.35
8	0.40
9	0.45
10	0.50

VIAL 2 RAST -1	
<u>Dose #</u>	<u>Vol. (mL)</u>
11	0.05
12	0.10
13	0.15
14	0.20
15	0.25
16	0.30
17	0.35
18	0.40
19	0.45
20	0.50

VIAL 3 RAST 0	
<u>Dose #</u>	<u>Vol. (mL)</u>
21	0.05
22	0.10
23	0.15
24	0.20
25	0.25
26	0.30
27	0.35
28	0.40
29	0.45
30	0.50

VIAL 4 RAST +1	
<u>Dose #</u>	<u>Vol. (mL)</u>
31	0.05
32	0.10
33	0.15
34	0.20
35	0.25
36	0.30
37	0.35
38	0.40
39	0.45
40	0.50

Continue 0.50 mL for weekly maintenance.